This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

1

(

•

(19) World Intellectual Property Organization International Bureau





(43) International Publication Date 25 July 2002 (25.07.2002)

(10) International Publication Number WO 02/056966 A1

(51) International Patent Classification7:

- A62B 18/00 (74) Agent: GERVASI, Gemma; Notarbartolo & Gervasi, Corso di Porta Vittoria, 9, I-20122 Milan (IT).
- (21) International Application Number: PCT/EP02/00373
- (22) International Filing Date: 16 January 2002 (16.01.2002)
- (25) Filing Language:

English


(26) Publication Language:

English

- (30) Priority Data: M12001A00097
 - 19 January 2001 (19.01.2001) IT
- (71) Applicant: DE LUCA, Florindo [IT/IT]; Via Vittorio Veneto, 32, I-20043 Arcore (IT).
- (72) Inventor; and
- (75) Inventor/Applicant (for US only): DE LUCA, Davide [TT/IT]; Via Vittorio Veneto, 32, I-20043 Arcore (IT).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

[Continued on next page]

(54) Title: INDIVIDUAL PORTABLE AIR PURIFIER



(57) Abstract: It is described a portable equipment for providing a user with air purified from solid and/or gaseous polluting substances, comprising at least: - a housing (1) to be worn by the user (for example hanging from his/her belt), containing at least filtering means (2) for detaining the polluting substances which are present in the air and means (3) for sending to delivery means (5) the air coming out from the filtering means (2); - means (6) connecting the housing (1) to the delivery means (5), and - the delivery means (5) to be applied on the head of the user and comprising at least a diffuser (7) for conveying the filtered air to the nose and mouth of the user (thus creating an area filled with clean air) and supporting means (8) for the diffuser (7). The equipment has limited size and weight and can be easily carried by the user without limiting his/her free movements.

WO 02/056966 AJ

Published:

- with international search report before the expiration of the time limit for amending the claims and to be republished in the event of receipt of amendments

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

WO 02/056966 PCT/EP02/00373

INDIVIDUAL PORTABLE AIR PURIFIER FIELD OF THE INVENTION

The present invention consists of a portable equipment for proving a user with an area filled with air purified from solid and/or gaseous polluting substances and comprising a housing containing at least means for detaining the polluting substances which are present in the air and means for sending to delivery means the air coming out from the filtering means; means for connecting the housing to the delivery means and the delivery means, to be applied on the head of the user and comprising at least a diffuser for conveying the filtered air to the user's nose and mouth (thus creating an area filled with clean air) and supporting means for the diffuser.

PRIOR ART

15

The problem concerning solid and/or gaseous polluting substances that are present in the air is getting more and more serious, also involving remarkable consequences on the health. Said problem is (or can be) particularly relevant for persons involved in manufacturing processes possibly releasing polluting substances, which are at least potentially harmful to the health if the are inhaled and for persons (such as, for example, municipal policemen) which are necessarily exposed for a long time to urban polluted air.

As an example we wish to remind that, according to recent studies, in the next future about a person out of three will be affected by bronchial asthma, whereas about a person out of five will be affected by cancer in the respiratory system, particularly in lungs.

Furthermore, it has been found that an increasing number of persons are affected by allergies (hay fever, etc.) induced by pollens and/or some other allergens carried by the air.

The individual protection means that are currently available are usually uncomfortable and bulky. For instance, protection masks, which are presently among the most diffused individual protection means, represent an obstacle to breathing and their use is (or can be) therefore exhausting for the user, besides inducing respiratory crises in persons having a predisposition to them.

Moreover, said masks do not allow the user to talk, eat, drink, etc. and must

therefore be removed during said activities.

Collective protection means (such as, for example, air purification systems to be installed in a flat or in one or more buildings) usually involve high installation and maintenance costs and are however inefficacious when the person gets out of the area covered by the purification system.

The individual portable air purifier object of the present invention represents a valid protection against the risks related to the inhalation of polluting substances and lacks all previously mentioned drawbacks and limitations. In fact, thanks to its reduced size and weight, once worn it does not limit in any way either the free movements or the normal activities of the user, who can therefore breath, talk, eat, drink, etc. without any kind of obstacle and/or limitations.

SUMMARY OF THE INVENTION

It is the object of the present invention an individual portable air purifier comprising a combination of, at least, the following elements:

- a housing, worn by the user, containing at least filtering means for mechanically, chemically and/or physically detaining the polluting substances which are present in the air and means for sending to delivery means the air coming out from the filtering means;
 - means connecting the housing to the delivery means, and
 - the delivery means, to be applied on the head of the user and comprising at least a diffuser for conveying the filtered air to the nose and mouth of the user (thus creating an area filled with clean air) and supporting means for the diffuser.

LIST OF THE DRAWINGS

25

The present invention will be described hereinafter in more detail with reference to a non-limitative embodiment shown in the alleged figures, wherein:

- figure 1 shows a back view of an user wearing a portable air purifier according to the invention;
- figures 2 and 3 respectively show a front view and a side view of the user's head of figure 1 for better showing the delivery means;
- figure 4 schematically shows a section of housing 1.

 In the enclosed figures corresponding elements will be identified by the same numeral references.

20

30

DETAILED DESCRIPTION

Figure 1 shows a back view of an user wearing a portable air purifier according to the present invention, comprising at least a combination of the following elements:

- a housing 1 to be worn by the user, containing at least filtering means 2 (not shown in figure 1) for detaining the polluting substances which are present in the air and means 3 (not shown in figure 1) for sending to delivery means 5 the air coming out from the filtering means 2;
- means 6 connecting the housing 1 to the delivery means 5, and
- the delivery means 5 (better shown in figures 2 and 3) to be applied on the head of the user and comprising at least a diffuser 7 for conveying the filtered air to the nose and mouth of the user (thus creating an area filled with clean air) and supporting means 8 for the diffuser 7.

In this embodiment the housing 1 can be hanging from the user's belt and it is connected to an external power source 9 (preferably a battery or a rechargeable accumulator) supplying the sending means 3 placed inside the housing 1; without leaving the scope of the present invention, the housing 1 can be differently worn by the user, for example it can be carried on the user's shoulder, and/or the power source 9 can be placed inside the housing 1.

Filtering means 2 comprise at least a filter, preferably but not necessarily a mechanical filter such as a multi-filter type with interchangeable cartridges, for better meeting the specific requirements of the user; without leaving the scope of the present invention it is however possible to use other kinds of filters, for example electrostatic or chemical filters.

Advantageously, the filtering means 2 can detain up to 99.9% of the polluting substances present in the air and are anyway able to detain particles of polluting substances having a diameter even smaller than 0.5 µm.

Means 3 for sending to the delivery means 5 the air coming out from filtering means 2 comprise at least a fan, preferably a multi-speed electric fan; preferably, but not necessarily, the sending means 3 can convey to the delivery means 5 an amount of air comprised between 40 and 260 l/m.

Means 6 connecting the housing 1 to the delivery means 5 are directly connected to the diffuser 7 belonging to the delivery means 5 and are formed by a flexible

15

25

tubular body, preferably but not necessarily made of non-toxic plastic material (such as, for instance, nylon, polypropylene or polyethylene) or made of non-toxic rubber.

Advantageously, the flexible tubular body is formed by a flexible corrugated pipe.

Diffuser 7, belonging to the delivery means 5, is supported by the supporting means 8 and has a shape apt to convey to the area directly before the user's nose and mouth a flow of purified air (coming from the connecting means 6), thus filling this area with clean air and removing from it any polluted air and gaseous products breathed out by the user, allowing therefore the user to breathe in nearly only air purified by filtering means 2.

Supporting means 8, belonging to the delivery means 5 and supporting the diffuser 7, are preferably of the kind used, for example, by phone operators (or by any other operator needing his/her hands to be free) and are essentially formed by an elastic body having a semicircular shape to be put on the user's head, on whose end the diffuser 7 is fastened.

Figure 4 shows a section of the housing 1, inside which it is schematically indicated the position of the filtering means 2 formed by a mechanical filter 10 and of the sending means 3 formed by an electric fan 11 (operated by engine M); figure 4 also shows the end of connecting means 6 inserted on the coupling 13 belonging to housing 1.

Without leaving the scope of the present invention, the sending means 3 can be formed by two or more electric fans.

In the embodiment shown in figure 4 the air, sucked by the fan 11 inside the housing 1 through grating 12 (or any other functionally equivalent means) passes through the filter 10 before being sent to the pipe 6, then reaching the diffuser 7 through said pipe 6.

For simplicity's sake figure 4 does not show means (already known) for starting/stopping the sending means 3 and/or for adjusting their operation.

If, as shown in figure 4, the sending means 3 are formed by the electric fan 11, said means comprise a switch and, possibly, means for continuously or non-continuously adjusting the rotating speed of fan 11 and, therefore, the air flow of the diffuser 7.

Without leaving the scope of the invention, the filtering means 2 and the sending means 3 can be formed by means different from those (a mechanical filter 10, respectively an electric fan 11) shown in figure 4 as a non-limitative example and/or can be differently placed inside housing 1.

Without leaving the scope of the present invention, a person skilled in the art can carry out on the individual portable air purifier of the present invention all modifications and improvements suggested by normal experience and by the natural advance of technology.

CLAIMS

20

25

30

- 1. Individual portable air purifier characterised in that it comprises a combination of at least the following elements:
- a housing (1) to be worn by the user, containing at least filtering means (2) for detaining the polluting substances which are present in the air and means (3) for sending to delivery means (5) the air coming out from the filtering means (2);
 - means (6) connecting the housing (1) to the delivery means (5), and
 - the delivery means (5), to be applied on the head of the user and comprising at least a diffuser (7) for conveying the filtered air to the nose and mouth of the user and supporting means (8) for supporting the diffuser (7).
 - 2. Air purifier according to claim 1, characterised in that the housing (1) can be hung from the user's belt.
 - 3. Air purifier according to claim 1, characterised in that the filtering means (2) comprises at least a filter.
- 4. Air purifier according to claim 3, characterised in that the at least a filter is a mechanical filter (10).
 - 5. Air purifier according to claim 4, characterised in that the at least a mechanical filter (10) is of the multi-filter type with interchangeable cartridges.
 - 6. Air purifier according to claim 1, characterised in that the filtering means (2) are suitable to detain up to 99.9% of the polluting substances present in the air.
 - 7. Air purifier according to claim 1, characterised in that the means (3) sending to the delivery means (5) the air coming out from the filtering means (2) comprise at least a fan.
 - 8. Air purifier according to claim 7, characterised in that the at least a fan is an electric fan (11).
 - Air purifier according to claim 8, characterised in that the at least an electric fan
 is a multi-speed fan.
 - 10. Air purifier according to claim 1, characterised in that the sending means (3) are suitable to send to the delivery means (5) an amount of air comprised between 40 and 260 l/m.
 - 11. Air purifier according to claim 1, characterised in that the means (6) connecting the housing (1) to the delivery means (5) are formed by a flexible tubular body.

- 12. Air purifier according to claim 11, characterised in that the flexible tubular body is formed by a flexible corrugated pipe.
- 13. Air purifier according to claim 11, characterised in that the flexible tubular body is made of non-toxic plastic material.
- 14. Air purifier according to claim 11, characterised in that the flexible tubular body is made of non-toxic rubber.
 - 15. Air purifier according to claim 1, characterised in that the means (6) connecting the housing (1) to the delivery means (5) are directly connected to the diffuser (7) belonging to the delivery means (5).
- 16. Air purifier according to claim 1, characterised in that the diffuser (7) belonging to the delivery means (5) conveys to the area directly before the user's nose and mouth a flow of air, purified by the filtering means (2), coming from the means (6) which connect the housing (1) to the delivery means (5).
- 17. Air purifier according to claim 1, characterised in that the means (8) belonging to the delivery means (5) and supporting the diffuser (7) are made of an elastic body having a semi-circular shape, on whose end the diffuser (7) is fastened.




FIG. 1





FIG. 2






FIG. 4

INTERNATIONAL SEARCH REPORT

n tional Application No PCT/EP 02/00373

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 A62B18/00

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols) $IPC\ 7\ A62B$

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal

Category *	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim N
X	GB 2 300 814 A (DEDIARE OMERESAN) 20 November 1996 (1996-11-20) the whole document		1-17
Υ	US 3 683 907 A (COTABISH HARRY N) 15 August 1972 (1972-08-15) abstract; claim 3; figure 1		1–17
Y	US 5 749 359 A (HANSEN IVER) 12 May 1998 (1998-05-12) abstract; figures 1-4	· .	1–17
A	WO 99 13929 A (AIRSEP CORP) 25 March 1999 (1999-03-25) figures 1-3	- 1	
	-/-	:	

*	
	*
Further documents are listed in the continuation of box C.	Patent family members are listed in annex.
*Special categories of died documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier document but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but taler than the priority date claimed	"Y" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art. *&" document member of the same patent family
Date of the actual completion of the international search 27 June 2002	Date of mailing of the International search report 04/07/2002
Name and malling address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL – 2280 HV Rijswijk Tel. (+31-70) 340-3016 Fax: (+31-70) 340-3016	Authorized officer van Bilderbeek, H.

INTERNATIONAL SEARCH REPORT

It Atonal Application No
PCT/EP 02/00373

C.(Continu	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	17	*
Category °	Citation of document, with Indication, where appropriate, of the relevant passages		Relevant to claim No.
A	US 5 394 870 A (JOHANSSON RONALD C) 7 March 1995 (1995-03-07) column 2, line 56-68 -column 3, line 1-15; figures 1,2		
\ ·	US 5 353 605 A (NAAMAN CHIBBI) 11 October 1994 (1994-10-11) column 3, line 25-29; figure 1		
•			
	*		
			0.
		te g	
			- X-
		• .	
		· .	
		•	

INTERNATIONAL SEARCH REPORT

Information on patent family members

In tional Application No PCT/EP 02/00373

	Publication
cited in search report date member(s)	date
GB 2300814 A 20-11-1996 NONE	Ŷ.
US 3683907 A 15-08-1972 DE 2135928 A1	27-01-1972
US 5749359 A 12-05-1998 AT 170762 T	15-09-1998
AU 718455 B2	13-04-2000
AU 2869997 A	25-09-1997
AU 677205 B2	17-04-1997
AU 4360293 A	30-12-1993
BR 9306473 A	02-01-1996
CA 2137006 A1	09-12-1993
DE 69320955 D1	15-10-1998
DE 69320955 T2	
EP 0643595 A1	
FI 945652 A	30-11-1994
JP 8503622 T	23-04-1996
NO 944544 A	01-02-1995
WO 9324168 A1	09-12-1993
WO 9913929 A 25-03-1999 AU 9385498 A	05-04-1999
EP 0941136 A1	
JP 2001506173 T	15-05-2001
WO 9913929 A1	25-03-1999
US 6065473 A	23-05-2000
US 5394870 A 07-03-1995 NONE	
US 5353605 A 11-10-1994 IL 103574 A	26-05-1995

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau





(43) International Publication Date 25 July 2002 (25.07.2002)

PCT

(10) International Publication Number WO 02/056966 A1

(51) International Patent Classification7:

(21) International Application Number: PCT/EP02/00373

(22) International Filing Date: 16 January 2002 (16.01.2002)

(25) Filing Language:

English

A62B 18/00

(26) Publication Language:

English

(30) Priority Data: MI2001A000097

19 January 2001 (19.01.2001) IT

(71) Applicant: DE LUCA, Florindo [IT/IT]; Via Vittorio Veneto, 32, I-20043 Arcore (IT).

(72) Inventor; and


(75) Inventor/Applicant (for US only): DE LUCA, Davide [IT/IT]; Via Vittorio Veneto, 32, I-20043 Arcore (IT).

(74) Agent: GERVASI, Gemma; Notarbartolo & Gervasi, Corso di Porta Vittoria, 9, I-20122 Milan (IT).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GB, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZM, ZW.

[Continued on next page]

(54) Title: INDIVIDUAL PORTABLE AIR PURIFIER



(57) Abstract: It is described a portable equipment for providing a user with air purified from solid and/or gaseous polluting substances, comprising at least: - a housing (1) to be worn by the user (for example hanging from his/her belt), containing at least filtering means (2) for detaining the polluting substances which are present in the air and means (3) for sending to delivery means (5) the air coming out from the filtering means (2); - means (6) connecting the housing (1) to the delivery means (5), and - the delivery means (5) to be applied on the head of the user and comprising at least a diffuser (7) for conveying the filtered air to the nose and mouth of the user (thus creating an area filled with clean air) and supporting means (8) for the diffuser (7). The equipment has limited size and weight and can be easily carried by the user without limiting his/her free movements.

WO 02/056966 A1

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

- with international search report

- (48) Date of publication of this corrected version: 18 September 2003
- (15) Information about Correction: see PCT Gazette No. 38/2003 of 18 September 2003, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

... PAGE BLANK (USPTO)